Pain, 56 (1994) 365–367
© 1994 Elsevier Science B.V. All rights reserved 0304-3959/94/$07.00

Author Index to Volume 56 (1994)

Andrews, K. and Fitzgerald, M.
The cutaneous withdrawal reflex in human neonates: sensitization, receptive fields, and the effects of contralateral stimulation (56) 95
Arendt-Nielsen, L., see Brennum, J. (56) 315
Arendt-Nielsen, L., see Brennum, J. (56) 327
Arendt-Nielsen, L., see Thye-Rønn, P. (56) 43
Arndt, G., see Backonja, M. (56) 51
Arntz, A., Dreessen, L. and De Jong, P.
The influence of anxiety on pain: attentional and attributional mediators (56) 307

Backonja, M., Arndt, G., Gombar, K.A., Check, B. and Zimmermann, M.
Response of chronic neuropathic pain syndromes to ketamine: a preliminary study (56) 51
Barr, R.G., see Miller, A. (56) 175
Basbaum, A.I., see Morgan, M.M. (56) 347
Beck-Nielsen, H., see Thye-Rønn, P. (56) 43
Bennett, M.I., Tai, Y.M.A. and Symonds, J.M.
Staphylococcal meningitis following Synchromed intrathecal pump implant: a case report (56) 243
Berge, O.-G., see Kristensen, J.D. (56) 59
Bourke, D.L.
TENS vs. placebo (56) 123
Brennum, J., Nielsen, P.T., Horn, A., Arendt-Nielsen, L. and Secher, N.H.
Quantitative sensory examination of epidural anaesthesia and analgesia in man; dose–response effect of bupivacaine (56) 315
Brennum, J., Petersen, K.L., Horn, A., Arendt-Nielsen, L., Secher, N.H. and Jensen, T.S.
Quantitative sensory examination of epidural anaesthesia and analgesia in man: combination of morphine and bupivacaine (56) 327
Brennum, J., see Thye-Rønn, P. (56) 43
Brown, D.L. and Rorie, D.K.
Altered reactivity of isolated segmental lumbar arteries of dogs following exposure to ethanol and phenol (56) 139
Bush, F.M., see Price, D.D. (56) 217

Carlton, S.M., Lekan, H.A., Kim, S.H. and Chung, J.M.
Behavioral manifestations of an experimental model for peripheral neuropathy produced by spinal nerve ligation in the primate (56) 155
Castro-Lopes, J.M., Tavares, I., Tölle, T.R. and Coimbra, A.
Carrageenan-induced inflammation of the hind foot provokes a rise of GABA-immunoreactive cells in the rat spinal cord that is prevented by peripheral neurectomy or neonatal capsaicin treatment (56) 193
Castro-Lopes, J.M., see Tölle, T.R. (56) 103
Charbonneau, A., see Dao, T.T.T. (56) 85
Check, B., see Backonja, M. (56) 51
Child, T.R., see Fine, P.G. (56) 235
Chung, J.M., see Carlton, S.M. (56) 155
Coimbra, A., see Castro-Lopes, J.M. (56) 193
Colado, M.I., Del Rio, J. and Peralta, E.
Neonatal guanethidine sympathectomy suppresses autotomy and prevents changes in spinal and supraspinal monoamine levels induced by peripheral deafferentation in rats (56) 3
Colburn, R.W., see DeLeo, J.A. (56) 9
Coombs, D.W., see DeLeo, J.A. (56) 9
Cruccu, G., see Di Piero, V. (56) 167

Dalsgaard, J., Felsby, S., Juelsgaard, P. and Froekjaer, J.
Low-dose intra-articular morphine analgesia in day case knee arthroscopy: a randomized double-blinded prospective study (56) 151
Dao, T.T.T., Lavigne, G.J., Charbonneau, A., Feine, J.S. and Lund, J.P.
The efficacy of oral splints in the treatment of myofascial pain of the jaw muscles: a controlled clinical trial (56) 85
De Bigontina, P., see Giamberardino, M.A. (56) 77
De C Williams, A.C., see Ralphs, J.A. (56) 279
De Jong, P., see Arntz, A. (56) 307
DeLeo, J.A., Coombs, D.W., Willenbring, S., Colburn, R.W., Fromm, C., Wagner, R. and Twitchell, B.B.
Characterization of a neuropathic pain model: sciatic cryoneurolysis in the rat (56) 9
De Leon-Casasola, O.A. and Lema, M.J.
Reply to G. Orlandini (56) 122
Del Rio, J., see Colado, M.I. (56) 3
Devor, M., see Rappaport, Z.H. (56) 127
Dickenson, A.H., see Stanfa, L.C. (56) 185
Di Piero, V., Ferracuti, S., Sabatini, U., Pantano, P., Cruccu, G. and Lenzi, G.L.
A cerebral blood flow study on tonic pain activation in man (56) 167
Dougherty, P.M., see Paleček, J. (56) 261
Dreessen, L., see Arntz, A. (56) 307
Du Pen, S.L. and Williams, A.R.
The dilemma of conversion from systemic to epidural morphine: a proposed conversion tool for treatment of cancer pain (56) 113

Egert, J., see Keefe, F.J. (56) 247
Elliott, K., Minami, N., Kolesnikov, Y.A., Pasternak, G.W. and Inturrisi, C.E.
The NMDA receptor antagonists, LY274614 and MK-801, and the nitric oxide synthase inhibitor, NG-nitro-L-arginine, attenuate analgesic tolerance to the mu-opioid morphine but not to kappa opioids (56) 69
Evan, G., see Tölle, T.R. (56) 103

Feine, J.S., see Dao, T.T.T. (56) 85
Felsby, S., see Dalsgaard, J. (56) 151
Ferracuti, S., see Di Piero, V. (56) 167
Fine, P.G., Roberts, W.J., Gillette, R.G. and Child, T.R.
Slowly developing placebo responses confound tests of intravenous phentolamine to determine mechanisms underlying idiopathic chronic low back pain (56) 235
Fitzgerald, M., see Andrews, K. (56) 95
Froekjaer, J., see Dalsgaard, J. (56) 151

Fromm, C., see DeLeo, J.A. (56) 9
Fryer, E.L., see Grunau, R.V.E. (56) 353
Furness, L., see Wiertelak, E.P. (56) 227

Gebhart, G.F., see Maves, T.J. (56) 120
Giamberardino, M.A., De Bigontina, P., Martegiani, C. and Vecchiet, L.
Effects of extracorporeal shock-wave lithotripsy on referred hyperalgesia from renal/ureteral calculosis (56) 77
Gillette, R.G., Kramis, R.C. and Roberts, W.J.
Sympathetic activation of cat spinal neurons responsive to noxious stimulation of deep tissues in the low back (56) 31
Gillette, R.G., see Fine, P.G. (56) 235
Gogas, K.R., see Morgan, M.M. (56) 347
Goldstein, B.D., see Holland, L.N. (56) 339
Gombar, K.A., see Backonja, M. (56) 51
Gordh, T., see Kristensen, J.D. (56) 59
Gordon, D., see Ward, S.E. (56) 299
Goucke, C.R., Hackett, L.P. and Ilett, K.F.
Concentrations of morphine, morphine-6-glucuronide and morphine-3-glucuronide in serum and cerebrospinal fluid following morphine administration to patients with morphine-resistant pain (56) 145
Grunau, R.V.E., Whitfield, M.F., Petrie, J.H. and Fryer, E.L.
Early pain experience, child and family factors, as precursors of somatization: a prospective study of extremely premature and fullterm children (56) 353
Gybels, J., see Kupers, R. (56) 119
Gybels, J.M., see Kupers, R.C. (56) 211

Hackett, L.P., see Goucke, C.R. (56) 145
Hao, J.-X., see Xu, X.-J. (56) 271
Harkins, S.W., see Price, D.D. (56) 217
Hauck, E.R., see Keefe, F.J. (56) 247
Hepp, B., see Kupers, R.C. (56) 211
Hökfelt, T., see Xu, X.-J. (56) 271
Holland, L.N. and Goldstein, B.D.
Examination of tonic nociceptive behavior using a method of substance P-receptor desensitization in the dorsal horn (56) 339
Horn, A., see Brennum, J. (56) 315
Horn, A., see Brennum, J. (56) 327
Hother-Nielsen, O., see Thye-Rønn, P. (56) 43
Hughes, J., see Xu, X.-J. (56) 271

Ilett, K.F., see Goucke, C.R. (56) 145
Inturrisi, C.E., see Elliott, K. (56) 69

Jensen, T.S., see Brennum, J. (56) 327
Juelsgaard, P., see Dalsgaard, J. (56) 151

Karlsten, R., see Kristensen, J.D. (56) 59
Keefe, F.J., Hauck, E.R., Egert, J., Rimer, B. and Kornguth, P.
Mammography pain and discomfort: a cognitive-behavioral perspective (56) 247
Kim, S.H., see Carlton, S.M. (56) 155
Kolesnikov, Y.A., see Elliott, K. (56) 69
Kornguth, P., see Keefe, F.J. (56) 247
Kramis, R.C., see Gillette, R.G. (56) 31
Kristensen, J.D., Karlsten, R., Gordh, T. and Berge, O.-G.
The NMDA antagonist 3-(2-carboxypiperazin-4-yl)propyl-1-phosphonic acid (CPP) has antinociceptive effect after intrathecal injection in the rat (56) 59
Kupers, R., Nuytten, D. and Gybels, J.
Comments on Maves et al., PAIN, 54 (1993) 57–69. (56) 119
Kupers, R.C., Van den Oever, R., Van Houdenhove, B., Vanmechelen, W., Hepp, B., Nuttin, B. and Gybels, J.M.
Spinal cord stimulation in Belgium: a nation-wide survey on the incidence, indications and therapeutic efficacy by the health insurer (56) 211

Lavigne, G.J., see Dao, T.T.T. (56) 85
Lekan, H.A., see Carlton, S.M. (56) 155
Lema, M.J., see De Leon-Casasola, O.A. (56) 122
Lenzi, G.L., see Di Piero, V. (56) 167
Lester, B.R., see Wu, H.H. (56) 203
Long, S., see Price, D.D. (56) 217
Loomis, C.W., see Sherman, S.E. (56) 17
Lund, J.P., see Dao, T.T.T. (56) 85

Magni, G., Moreschi, C., Rigatti-Luchini, S. and Merskey, H.
Prospective study on the relationship between depressive symptoms and chronic musculoskeletal pain (56) 289
Maier, S.F., see Wiertelak, E.P. (56) 227
Marchand, S.
Reply to D.L. Bourke (56) 123
Martegiani, C., see Giamberardino, M.A. (56) 77
Maves, T.J., Gebhart, G.F. and Meller, S.T.
Does a change in the milieu around the rat's sciatic nerve lead to behavioral evidence of neuropathic pain? (56) 120
Mayr, T., see Wiertelak, E.P. (56) 227
McFadden, I.J. and Woitalla, V.F.
Differing reports of pain perception by different personalities in a patient with chronic pain and multiple personality disorder (56) 379
Meller, S.T., see Maves, T.J. (56) 120
Merskey, H., see Magni, G. (56) 289
Miller, A., Barr, R.G. and Young, S.N.
The cold pressor test in children: methodological aspects and the analgesic effect of intraoral sucrose (56) 175
Minami, N., see Elliott, K. (56) 69
Mooney-Heiberger, K., see Wiertelak, E.P. (56) 227
Moreschi, C., see Magni, G. (56) 289
Morgan, M.M., Gogas, K.R. and Basbaum, A.I.
Diffuse noxious inhibitory controls reduce the expression of noxious stimulus-evoked Fos-like immunoreactivity in the superficial and deep laminae of the rat spinal cord (56) 347

Nicholas, M.K., see Ralphs, J.A. (56) 279
Nielsen, P.T., see Brennum, J. (56) 315
Nuttin, B., see Kupers, R.C. (56) 211
Nuytten, D., see Kupers, R. (56) 119

Orlandini, G.
Selection of patients undergoing neurolytic superior hypogastric plexus block (56) 121

Paleček, J., Palečková, V., Dougherty, P.M. and Willis, W.D.
The effect of *trans*-ACPD, a metabotropic excitatory amino acid receptor agonist, on the responses of primate spinothalamic tract neurons (56) 261
Palečková, V., see Paleček, J. (56) 261
Pantano, P., see Di Piero, V. (56) 167
Pasternak, G.W., see Elliott, K. (56) 69
Peralta, E., see Colado, M.I. (56) 3
Petersen, K.L., see Brennum, J. (56) 327
Petrie, J.H., see Grunau, R.V.E. (56) 353
Pither, C.E., see Ralphs, J.A. (56) 279
Price, D.D., Bush, F.M., Long, S. and Harkins, S.W.
A comparison of pain measurement characteristics of mechanical visual analogue and simple numerical rating scales (56) 217

Ralphs, J.A., De C Williams, A.C., Richardson, P.H., Pither, C.E. and Nicholas, M.K.
Opiate reduction in chronic pain patients: a comparison of patient-controlled reduction and staff controlled cocktail methods (56) 279

Rappaport, Z.H. and Devor, M.
Trigeminal neuralgia: the role of self-sustaining discharge in the trigeminal ganglion (56) 127
Richardson, P.H., see Ralphs, J.A. (56) 279
Rigatti-Luchini, S., see Magni, G. (56) 289
Rimer, B., see Keefe, F.J. (56) 247
Roberts, W.J., see Fine, P.G. (56) 235
Roberts, W.J., see Gillette, R.G. (56) 31
Roques, B.P., see Tölle, T.R. (56) 103
Rorie, D.K., see Brown, D.L. (56) 139

Sabatini, U., see Di Piero, V. (56) 167
Schadrack, J., see Tölle, T.R. (56) 103
Secher, N.H., see Brennum, J. (56) 315
Secher, N.H., see Brennum, J. (56) 327
Seiger, Å., see Xu, X.-J. (56) 271
Sherman, S.E. and Loomis, C.W.
Morphine insensitive allodynia is produced by intrathecal strychnine in the lightly anesthetized rat (56) 17
Sindrup, S.H., see Thye-Rønn, P. (56) 43
Smith, K.P., see Wiertelak, E.P. (56) 227
Stanfa, L.C. and Dickenson, A.H.
Electrophysiological studies on the spinal roles of endogenous opioids in carrageenan inflammation (56) 185
Strauss, S.
Comments on Toomey et al., *Pain*, 53 (1993) 105–109 (56) 361
Sun, Z., see Wu, H.H. (56) 203
Symonds, J.M., see Bennett, M.I. (56) 243

Tai, Y.M.A., see Bennett, M.I. (56) 243
Tavares, I., see Castro-Lopes, J.M. (56) 193
Thye-Rønn, P., Sindrup, S.H., Arendt-Nielsen, L., Brennum, J., Hother-Nielsen, O. and Beck-Nielsen, H.
Effect of short-term hyperglycemia per se on nociceptive and non-nociceptive thresholds (56) 43
Tölle, T.R., Schadrack, J., Castro-Lopes, J.M., Evan, G., Roques, B.P. and Zieglgänsberger, W.
Effects of Kelatorphan and morphine before and after noxious stimulation on immediate-early gene expression in rat spinal cord neurons (56) 103
Tölle, T.R., see Castro-Lopes, J.M. (56) 193
Toomey, T.C.
Reply to S. Strauss (56) 361
Twitchell, B.B., see DeLeo, J.A. (56) 9

Van den Oever, R., see Kupers, R.C. (56) 211
Van Houdenhove, B., see Kupers, R.C. (56) 211
Vanmechelen, W., see Kupers, R.C. (56) 211
Vecchiet, L., see Giamberardino, M.A. (56) 77

Wagner, R., see DeLeo, J.A. (56) 9
Ward, S.E. and Gordon, D.
Application of the American Pain Society quality assurance standards (56) 299
Watkins, L.R., see Wiertelak, E.P. (56) 227
Whitfield, M.F., see Grunau, R.V.E. (56) 353
Wiertelak, E.P., Smith, K.P., Furness, L., Mooney-Heiberger, K., Mayr, T., Maier, S.F. and Watkins, L.R.
Acute and conditioned hyperalgesic responses to illness (56) 227
Wiesenfeld-Hallin, Z., see Xu, X.-J. (56) 271
Wilcox, G.L., see Wu, H.H. (56) 203
Willenbring, S., see DeLeo, J.A. (56) 9
Williams, A.R., see Du Pen, S.L. (56) 113
Willis, W.D., see Paleček, J. (56) 261
Woitalla, V.F., see McFadden, I.J. (56) 379
Wu, H.H., Lester, B.R., Sun, Z. and Wilcox, G.L.
Antinociception following implantation of mouse B16 melanoma cells in mouse and rat spinal cord (56) 203

Xu, X.-J., Hao, J.-X., Seiger, Å., Hughes, J., Hökfelt, T. and Wiesenfeld-Hallin, Z.
Chronic pain-related behaviors in spinally injured rats: evidence for functional alterations of the endogenous cholecystokinin and opioid systems (56) 271

Young, S.N., see Miller, A. (56) 175

Zieglgänsberger, W., see Tölle, T.R. (56) 103
Zimmermann, M., see Backonja, M. (56) 51